

ST-AWS QUESTIONNARIE

This questionnaire was designed to help patients find out whether they have Axillary Web Syndrome (AWS), by conducting their own a self-assessment, in the two-month period following surgery.



The photograph shows the area of greater AWS incidence. In this area a tense cord can be felt.



Initial step

Stand in front of a mirror and try the following movements:

 Raise your arm high with the elbow	 Raise your arm high, sideways
extended as though you wanted to grab	(laterally), with the elbow extended, away
an object above your head.	from the body.

1-How does your arm move?			
Do you find it difficult to do ei	ther or both of the above movements?	Y	$N\square$
		[1]	[0]
2- Look closely at your arm			
When you carry out one or bot	th of the above movements in front of the	mirror,	do you
see a cord?		Y□	N□
		[1]	[0]
If so, where?			
Axillary area			
Inner part of the arm			
Forearm			
Elbow fold			
Wrist			

3- Touch your arm When you carry out one or ho	th of the above movements or whe	n vou exte	nd vour
elbow, do you feel a cord?	in of the above movements of whe	Y □	N 🗆
elbow, do you leel a colur		[1]	[0]
If so, where?		(*)	[0]
Axillary area	D		
Inner part of the arm	<u> </u>		
Forearm	-		
Elbow fold	<u> </u>		
Wrist	ä		
강선일 전쟁 경기 회사 프라이어 경기에 어려워 하는 것이 되는 것이 없다.			
When you carry out one or bo	th of the above movements or whe	n you exte	nd your
When you carry out one or bo	th of the above movements or whe that causes a feeling of tension?		
When you carry out one or bo		Y□	N□
elbow, do you notice a "cord"			
When you carry out one or bo elbow, do you notice a "cord" If so, where?	that causes a feeling of tension?	Y□	N□
When you carry out one or bo elbow, do you notice a "cord" If so, where? Axillary area	that causes a feeling of tension?	Y□	N□
When you carry out one or bo	that causes a feeling of tension?	Y□	N□
When you carry out one or bo elbow, do you notice a "cord" If so, where? Axillary area	that causes a feeling of tension?	Y□	N□
When you carry out one or bo elbow, do you notice a "cord" If so, where? Axillary area Inner part of the arm	that causes a feeling of tension?	Y□	N□
When you carry out one or boo elbow, do you notice a "cord" If so, where? Axillary area Inner part of the arm Forearm Elbow fold	that causes a feeling of tension?	Y□	N□
When you carry out one or bo elbow, do you notice a "cord" If so, where? Axillary area Inner part of the arm Forearm	that causes a feeling of tension?	Y□	N□
When you carry out one or borelbow, do you notice a "cord" If so, where? Axillary area Inner part of the arm Forearm Elbow fold Wrist	that causes a feeling of tension?	Y□	N□
When you carry out one or boo elbow, do you notice a "cord" If so, where? Axillary area Inner part of the arm Forearm Elbow fold	that causes a feeling of tension?	Y□	N□

SCORE: __/5

If the questionnaire score is 3 or higher, AWS is to be suspected.

Call the physiotherapist for a closer look and possible treatment.

AWS is a spontaneously regressing syndrome, but restricts freedom of movement. If diagnosed early:

- A therapist can be consulted right from its very onset
- It can be resolved quickly and efficiently
- Symptoms and complications can be markedly reduced.