

Publications – Giuliana Pelicci

Brescia P, Ortensi B, Fornasari L, Levi D, Broggi G, Pelicci G.
CD133 is essential for glioblastoma stem cell maintenance
Stem Cells. 2013 Jan 10. doi: 10.1002/stem.1317. [Epub ahead of print]

Ortensi B, Setti M, Osti D, Pelicci G.
Cancer stem cell contribution to glioblastoma invasiveness.
Stem Cell Res Ther. 2013 Feb 28;4(1):18. [Epub ahead of print]

Brescia P*, Richichi C*, Pelicci G.
Current strategies for identification of glioma stem cells: adequate or unsatisfactory?
Journal Of Oncology 2012;2012:376894. Epub 2012 May 23.

Ortensi B*, Osti D*, Pellegatta S, Pisati F, Brescia P, Fornasari L, Levi D, Gaetani P,
Colombo P, Ferri A, Nicolis S, Finocchiaro G, Pelicci G.
Rai is a new regulator of neural progenitor migration and glioblastoma invasion
Stem Cells. 2012 May;30(5):817-32.

Erreni M, Solinas G, Brescia P, Osti D, Zunino F, Colombo P, Destro A, Roncalli M,
Mantovani A, Draghi R, Levi D, Rodriguez Y Baena R, Gaetani P, Pelicci G, Allavena P.
Human glioblastoma tumours and neural cancer stem cells express the chemokine
CX3CL1 and its receptor CX3CR1.
Eur J Cancer. 2010 Aug 19

Savino MT, Ortensi B, Ferro M, Ulivieri C, Fanigliulo D, Paccagnini E, Lazzi S, Osti D,
Pelicci G, Baldari CT. Rai acts as a negative regulator of autoimmunity by inhibiting
antigen receptor signaling and lymphocyte activation.
J Immunol. 2009 Jan 1;182(1):301-8. IF: 5.646

Villanacci V, Bassotti G, Ortensi B, Fisogni S, Cathomas G, Maurer CA, Galletti A,
Salerni B, Pelicci G. Expression of the Rai (Shc C) adaptor protein in the human
enteric nervous system.
Neurogastroenterol Motil. 2008 Mar;20(3):206-12. Epub 2007 Sep 27.
IS- 1350-1925 (Print)

Peviani M, Cheroni C, Troglia F, Quarto M, Pelicci G, Bendotti C. Lack of changes in
the PI3K/AKT survival pathway in the spinal cord motor neurons of a mouse model of
familial amyotrophic lateral sclerosis.
Mol Cell Neurosci. 2007 Apr;34(4):592-602. Epub 2007 Jan 11.
IS- 1044-7431 (Print)

Troglia F, Echart C, Gobbi A, Pawson T, Pelicci PG, De Simoni MG, Pelicci G. From The
Cover: The Rai (Shc C) adaptor protein regulates the neuronal stress response and
protects against cerebral ischemia.
Proc Natl Acad Sci U S A. 2004 Oct 26;101(43):15476-81. Epub 2004 Oct 19.

IS- 0027-8424 (Print)

Pelicci G, Troglio F, Bodini A, Melillo RM, Pettirossi V, Coda L, De Giuseppe A, Santoro M, Pelicci PG.

The neuron-specific Rai (ShcC) adaptor protein inhibits apoptosis by coupling Ret to the phosphatidylinositol 3-kinase/Akt signaling pathway.

Mol Cell Biol. 2002 Oct;22(20):7351-63.

IS- 0270-7306 (Print)

Conti L, Sipione S, Magrassi L, Bonfanti L, Rigamonti D, Pettirossi V, Peschanski M, Haddad B, Pelicci P, Milanesi G, Pelicci G, Cattaneo E.

Shc signaling in differentiating neural progenitor cells.

Nat Neurosci. 2001 Jun;4(6):579-86.

IS- 1097-6256 (Print)

Migliaccio E, Giorgio M, Mele S, Pelicci G, Reboldi P, Pandolfi PP, Lanfrancone L, Pelicci PG. The p66shc adaptor protein controls oxidative stress response and life span in mammals.

Nature. 1999 Nov 18;402(6759):309-13.

IS- 0028-0836 (Print)

Migliaccio E, Mele S, Salcini AE, Pelicci G, Lai KM, Superti-Furga G, Pawson T, Di Fiore PP, Lanfrancone L, Pelicci PG.

Opposite effects of the p52shc/p46shc and p66shc splicing isoforms on the EGF receptor-MAP kinase-fos signalling pathway.

EMBO J. 1997 Feb 17;16(4):706-16.

IS- 0261-4189 (Print)

Pelicci G, Dente L, De Giuseppe A, Verducci-Galletti B, Giuli S, Mele S, Vetriani C, Giorgio M, Pandolfi PP, Cesareni G, Pelicci PG.

A family of Shc related proteins with conserved PTB, CH1 and SH2 regions.

Oncogene. 1996 Aug 1;13(3):633-41.

IS- 0950-9232 (Print)

Pelicci G, Lanfrancone L, Salcini AE, Romano A, Mele S, Grazia Borrello M, Segatto O, Di Fiore PP, Pelicci PG.

Constitutive phosphorylation of Shc proteins in human tumors.

Oncogene. 1995 Sep 7;11(5):899-907.

IS- 0950-9232 (Print)

Pelicci G, Giordano S, Zhen Z, Salcini AE, Lanfrancone L, Bardelli A, Panayotou G, Waterfield MD, Ponzetto C, Pelicci PG, et al. The mitogenic and motogenic responses to HGF are amplified by the Shc adaptor protein.

Oncogene. 1995 Apr 20;10(8):1631-8.

IS- 0950-9232 (Print)

Rozakis-Adcock M, Mcglade J, Mbamalu G, Pelicci G, Daly R, Li W, Batzer A, Thomas S, Brugge J, Pelicci PG, et al.

Association of the Shc and Grb2/Sem5 SH2-containing proteins is implicated in activation of the Ras pathway by tyrosine kinases.

Nature. 1992 Dec 17;360(6405):689-92.

IS- 0028-0836 (Print)

McGlade J, Cheng A, Pelicci G, Pelicci PG, Pawson T.

Shc proteins are phosphorylated and regulated by the v-Src and v-Fps protein-tyrosine kinases.

Proc Natl Acad Sci U S A. 1992 Oct 1;89(19):8869-73.

IS- 0027-8424 (Print)

Pelicci G, Lanfrancone L, Grignani F, McGlade J, Cavallo F, Forni G, Nicoletti I, Grignani F, Pawson T, Pelicci PG.

A novel transforming protein (SHC) with an SH2 domain is implicated in mitogenic signal transduction.

Cell. 1992 Jul 10;70(1):93-104.

IS- 0092-8674 (Print)